



HEATING INSULATION INCLUDED

Thickness: 50 mm





S1, S2, S3, S4 = e
 T1, T2, T3, T4 = e-5
 T1 T2 T3 T4 locations on back side
 correspond to S1 S2 S3 S4 on front side

Note that all unique customer requirements (i.e tolerance) need to be verified thru Alfa Laval.

FS17
 ALLOY 316
 S3, S4, T1, T2

FS17 LONG
 ALLOY 316
 S1, S2



HEATING SURFACE	m ²
NETWEIGHT	289.4 kg
OPERATING WEIGHT	kg
PLATE MATERIAL	ALLOY 316
PLATE GROUPING	1*79H/1*80H

ALL DIMENSIONS IN MILLIMETERS

SIDE	MEDIA	INLET	TEMP.	OUTLET	TEMP.	FLOW RATE	PRESSURE DROP	LIQUID VOL.
1	Water	S1	°C	S2	°C	kg/h	kPa	59.2 dm ³
2	Water	S3	°C	S4	°C	kg/h	kPa	58.5 dm ³

PRESSURE VESSEL APPROVAL

PED

CB400-160H (3075010504)

www.alfalaval.com

CUSTOMER NAME / REF. NO.

COMPANY / REF.
 Aptec production s.r.o.

TOTAL LENGTH 829 mm
 TOTAL WIDTH 390 mm
 TOTAL HEIGHT 1250 mm



7/8/2020
 REV 0